





Model No. 2973 Popclean Elite Popper **With Advance 7” Touch Controls**

General image shown for reference.



The Next Generation Of technology is Advanced Touch Controls!

Touch Screen navigation is an exciting development that gives operators the ultimate user experience. Designed to be both Visually appealing and functionally relevant, the digital interface is straightforward, providing the best in easy and usability.



POWER REQUIREMENT: 220 - 240 Volt (3 Phase), Watts: 8270, 50/60 Hz.
5 Wire Type – 3 phase + 1 Neutral + 1 Ground.
42 Amps Isolator switch - 2 No's



Touch Controls & Features:

- 7" Touch Screen display allows Intuitive Operation of machines and easy accesses to recipe
- Display screen can also be used as a training tool for Cleaning and popper operation
- Convenient One-time Oil Calibration, then simply enter the amount of oil for each recipe
- Simple Programming and customization allow users to experiment with different recipes.
- Two 52 oz. Stainless Steel, Top Hat Kettles.
- Improved Big Eye Controller.
- Oil Level Display.
- All stainless-steel construction.
- All LED lighting of cabinet and signs.

Filter / Ventilation Specifications:


- ✓ Tested and approved to ANSI/UL 710B (Integrated recirculating ventilation system / Ductless Hood).
- ✓ Meets EPA-202 Standards for clean air of less than 5 mg of particulates. Updraft Models tested to 3.6 mg particulates.
- ✓ Filtering system consists of grease baffle, 4 inch pleated second-stage filter, and final HEPA box filter. Caution lights alert operator to replace filters when required. (est. 4-6 months)

Oil Delivery System:

Unit supplied with Model 2257-00-010. Bag-In-A-Box Oil Pump.



Updraft units need a minimum of 13" clearance on top of unit to change filters.



Overall Dimension:

Width: 82" – 209 cm

Depth: 33" (30" cabinet; 3" Sign) - 84cm

Height: 88.25" – 225 cm

Weight: 600Kg